# TURKISH JOURNAL OF PHYSICAL MEDICINE AND REHABILITATION

Formerly published as


Türkiye Fiziksel Tıp ve Rehabilitasyon Dergisi

#### **Editors**

Birkan Sonel Tur Deniz Evcik

#### **Associate Editors**

Ayşe Nur Bardak Burcu Yanık Duygu Geler Külcü Şebnem Koldaş Doğan



Indexed in Science Citation Index-Expanded





### TURKISH JOURNAL OF PHYSICAL MEDICINE AND REHABILITATION

Formerly published as

Türkiye Fiziksel Tıp ve Rehabilitasyon Dergisi

#### Founders / Kurucular

Osman Cevdet Cubukçu Derviş Manizade Aziz Sevüktekin Akif Sakir Sakar

Türkiye Fiziksel Tıp ve Rehabilitasyon Derneği Adına Sahibi ve Sorumlu Yazı İsleri Müdürü Ayşegül Ketenci

Executive Office / Yönetim Yeri ve Adresi Büyükdere Cad. Arzu Apt. No: 99, Kat: 4, D: 8-9, 34394 Mecidiyeköy, İstanbul, Türkiye.

Tel: +90 212 236 90 52 Fax: +90 212 236 90 54

http://www.ftrdergisi.com

Editorial Contact Person / Editöryal İletişim Birkan Sonel Tur

Deniz Evcik e-mail / e-posta: info@turkishjournalpmr.com info@ftrdergisi.com

Publisher / Yayıncı

Bayçınar Tıbbi Yayıncılık Örnek Mah. Dr. Suphi Ezgi Sok., No: 11, D: 6, 34704 Ataşehir, İstanbul, *Türkiye* 

Tel: +90 216 317 41 14

e-mail / e-posta: info@baycinartibbiyayincilik.com

Ege Reklam Basım Sanatları San.Tic. Ltd. Şti. Esatpaşa Mah. Ziyapaşa Cad. No: 4, 34704 Ataşehir, İstanbul, Türkiye Tel: +90 216 470 44 70 URL: http://www.egebasim.com.tr

Matbaa Sertifika No: 12468 Press date / Basım tarihi

May 27, 2019 / 27 Mayıs 2019 Circulation / Baskı adedi: 450

**Type of publication** / **Yayın Türü** Periodical / **Yerel** Süreli

#### Owner on Behalf of Turkish Society of Physical Medicine and Rehabilitation and Responsible Manager

Ayşegül Ketenci İstanbul University, İstanbul, Turkey

#### **Editors**

Birkan Sonel Tur Ankara University, Ankara, Turkey Deniz Evcik Güven Hospital, Ankara, Turkey

#### Associate Editors

Ayse Nur Bardak University of Health Sciences, İstanbul, Turkey

Çankaya Hospital, Ankara, Turkey

Duygu Geler Külcü University of Health Sciences, İstanbul, Turkey

Şebnem Koldaş Doğan University of Health Sciences, Antalya, Turkey

#### **Statistics Consultants**

Afra Alkan

Yıldırım Beyazıt University, Ankara, Turkey

Atilla Halil Elhan Ankara University, Ankara, Turkey

Elif Çiğdem Altunok

Yeditepe University, İstanbul, Turkey

Halim İşsever

İstanbul University, İstanbul, Turkey

Pervin Demir Yıldırım Beyazıt University, Ankara, Turkey

Selcen Yüksel

Yıldırım Beyazıt Universiy, Ankara, Turkey

Timur Köse Ege University, İzmir, Turkey

The Turkish Journal of Physical Medicine and Rehabilitation is indexed by Science Citation Index Expanded, EMBASE, Scopus, CINAHL, Gale/Cengage Learning, EBSCO, Index Copernicus, DOAJ, TUBITAK ULAKBIM TR Index and Turkiye Citation Index.

All rights are reserved. Rights to the use and reproduction, including in the electronic media, of all communications, papers, photographs and illustrations appearing in thes journal are the properties of the Turkish Journal of Physical Medicine and Rehabilitation, reproduction without prior written permission of part or all of and material is not permitted. The journal compiles with the Professional Principles of the Press.



This publication is printed on paper that meets the international standard ISO 9706: 1994 This publication is printed on paper into meets in uncommunication of the production of biomedical literature.

National Library of Medicine encourages the use of permanent, acid-free paper in the production of biomedical literature.

The control of conformity with the journal standards and the typesetting of the articles in this journal, the control of the abstracts and references and the preparation of the journal for publishing were conducted by Bayçınar Medical Publishing.



Formerly published as TÜRKİYE FİZİKSEL TIP VE REHARİLİTASYON DERGİSİ

#### **National Scientific Advisory Board**

Arzu On

Ege University, İzmir, Turkey

Avdan Oral

İstanbul University, İstanbul, Turkey

Ayşe Küçükdeveci

Ankara University, Ankara, Turkey

Ayşe Yalıman

İstanbul University, İstanbul, Turkey

Ayşegül Ketenci

İstanbul University, İstanbul, Turkey

Banu Kuran

Yeni Yüzyıl University, İstanbul, Turkey

Canan Tıkız

Adnan Menderes University, Aydın, Turkey

Dilşad Sindel

İstanbul University, İstanbul, Turkey

Elif Akalın

Dokuz Eylül University, İzmir, Turkey

Erkan Kozanoğlu

Çukurova University, Adana, Turkey

Füsun Ardıç

Pamukkale University, Denizli, Turkey

Füsun Köseoğlu

TOBB ETU Hospital, Ankara, Turkey

Pamukkale University, Denizli, Turkey

Gülseren Akyüz

Marmara University, İstanbul, Turkey

Hakan Tuna

Trakya University, Edirne, Turkey

Hatice Bodur

Yıldırım Beyazıt University, Ankara, Turkey

Haydar Gök

Ankara University, Ankara, Turkey

Marmara University, İstanbul, Turkey

Uludağ University, Bursa, Turkey

Kenan Akgün İstanbul University, İstanbul, Turkey

University of Health Sciences, İstanbul, Turkey

Murat Zinnuroğlu

Gazi University, Ankara, Turkey

Mustafa Çalış

Erciyes University, Kayseri, Turkey

Müfit Akyüz

Karabük University, Karabük, Turkey

N. Kutay Ordu Gökkaya

University of Health Sciences, Ankara, Turkey

Nurdan Paker

University of Health Sciences, İstanbul, Turkey

Ömer Faruk Sendur

Adnan Menderes University, Aydın, Turkey

Dokuz Eylül University, İzmir, Turkey

Rengin Güzel

Çukurova University, Adana, Turkey

Resa Avdın

İstanbul University, İstanbul, Turkey

Safive Tuncer

Ankara University, Ankara, Turkey

Sibel Eyigör

Ege University, İzmir, Turkey

Sumru Özel

Hitit University, Çorum, Turkey

Tunç Alp Kalyon

Medicana Hospital, İstanbul, Turkey

Ülkü Zeynep Akarırmak

İstanbul Üniversity, İstanbul, Turkey

Yeşim Kirazlı

Ege University, İzmir, Turkey

Acibadem University, İstanbul, Turkey

#### **International Scientific Advisory Board**

Alessandro Giustini

Rehabilitation Unit, Ospedale Sanpancrazio Santostefano Rehabilitation Group, Arco, Trento, Italy

Amparo Martinez Assucena

Hospital of Requena, Valencia, Spain

Carl Chen

Chang Gung Memorial Hospital, Taipei, Taiwan

Chang-II Park

Konyang University, Daejeon, Korea

Elena Ilieva

Plovdiv Medical University, Plovdiv, Bulgaria

Farooq Rathore

Bahria University, Karachi, Pakistan

Fary Khan

Monash University, Melbourne, Australia

Farzaneh Torkan

Shefa Research Center, Tehran, Iran

Francesca Gimigliano

University of Campania "Luigi Vanvitelli", Caserta, Italy

Frederick Frost

Case Western Reserve University, Cleveland, Ohio, USA

Gabor Fazekas

National Institute for Medical Rehabilitation, Budapest, Hungary

Gordana Stefanovski

Institute of PRM "Dr M. Zotovic", Banja Luka, Bosnia and Herzegovina

University Rehabilitation Institute, Ljubljana, Slovenia

**Iuly Treger** 

Soroka Medical University,

Beer-Sheva, Israel

Helena Burger

Iolanta Kuiawa Medical University of Lodz, Lodz, Poland

Rehabilitation Centre for the Central region of Portugal, Rovisco Pais Hospital, Tocha, Portugal

Juan Manuel Guzman

Clinica De Rehabilitacion,

Mexico City, Mexico Khalil Al-Abbadi

Arab Center For Physical & Rehabilitation Medicine, Amman, Jordan

Luh K Wahyuni

University of Indonesia, Jakarta, Indonesia

Lydia Abdul Latif

Malaysia University of Malaysia, Kuala Lumpur, Malaysia

Mansoor Rayegani

Shahid Beheshti University, Tehran, Iran

Mark A. Young

Maryland Rehabilitation Center, Baltimore, Maryland, USA

Milica Lazovic

University of Belgrade, Belgrade, Serbia

Nachum Soroker Tel-Aviv University, Tel Aviv, Israel

Peter Lim Ai Chi Baylor College of Medicine,

Singapore - Houston, Texas, USA

Rajesh Pramanik IPGMER & SSKM Hospital, Koklata, India

Simon F.T. Tang

Chang Gung University, Taipei, Taiwan

Soumya Chatterjee Cleveland, Ohio, USA

Case Western Reserve University,

Taslim Uddin

BSM Medical University, Dhaka, Bangladesh

Zohra Ben Salah

University Hospital of Monastir, Monastir, Tunisia



Formerly published as TÜRKİYE FİZİKSEL TIP VE REHARİLİTASYON DERGİSİ

#### **CONTENTS**

#### REVIEW

111 The Turkish Society of Physical Medicine and Rehabilitation (TSPMR) guideline recommendations for the management of fibromyalgia syndrome

Deniz Evcik, Ayşegül Ketenci, Dilşad Sindel

#### **ORIGINAL ARTICLES**

124 The effect of stress-induced cortisol increase on the sense of ankle proprioception

Deniz Şenol, Cihat Uçar, Mahmut Çay, Davut Özbağ, Mustafa Canbolat, Sedat Yıldız

132 The prevalence of comorbidity and predictors in ankylosing spondylitis Gökşen Gökşenoğlu, Derya Buğdaycı, Nurdan Paker, Mustafa Aziz Yıldırım, Özlem Etli

139 Is kinesiophobia associated with lymphedema, upper extremity function, and psychological morbidity

in breast cancer survivors? Aslı Gencay Can, Serdar Süleyman Can, Emel Ekşioğlu, Fatma Aytül Çakcı

147 Reliability and validity of Turkish version of Lymphedema Life Impact Scale

Büşra Değirmenci, Şansın Tüzün, Nur Selin Of, Aydan Oral, Dilşad Sindel

154 Outcome measurement in patients with low back pain undergoing epidural steroid injection Tülay Erçalık, Kardelen Gencer Atalay, Canan Şanal Toprak, Osman Hakan Gündüz

160 Effects of Tai Chi on partial anterior cruciate ligament injury: A single-blind, randomized-controlled trial Öznur Büyükturan, Buket Büyükturan, Emine Eda Kurt, Mehmet Yetiş

169 Backward walking alters vastus medialis oblique/vastus lateralis muscle activity ratio in females with patellofemoral pain syndrome

Osama Ragaa Abdelraouf, Amr Almaz Abdel-Aziem, Alaa Amr Ahmed, Nagui Sobhi Nassif, Ayman Gouda Matar

- 177 Estimating the most accurate sonographic measurement in the diagnosis of carpal tunnel syndrome: Which is the best? Özlem Köroğlu, Serdar Kesikburun, Emre Adıgüzel, Mehmet Ali Taşkaynatan, Ahmet Özgül
- 184 Comparison of effects of low-level laser therapy and extracorporeal shock wave therapy in plantar fasciitis treatment: A randomized, prospective, single-blind clinical study

Ömür Damla Yinilmez Sanmak, Duygu Geler Külcü, Nilgün Mesci, Elif Çiğdem Altunok

#### **CASE REPORTS**

- 191 Recurrent uveitis under golimumab treatment in a patient diagnosed with axial spondyloarthritis: Is it a paradoxical effect? Alper Mengi, Şenay Özdolap, Hande Oray, Selda Sarıkaya
- 194 Cardiac rehabilitation in a patient with ankylosing spondylitis: A single-program, double-effect Esra Giray, İlker Yağcı
- 198 Alternative treatment of resistant hypoparathyroidism by intermittent infusion of teriparatide using an insulin pump: A case report

Zafer Pekkolay, Faruk Kılınç, Hikmet Soylu, Belma Balsak, Mehmet Güven, Şadiye Altun Tuzcu, Ali Veysel Kara, Alpaslan Kemal Tuzcu

#### LETTER TO THE EDITOR

202 Reply-Letter to the Editor-Effectiveness of medial-wedge insoles for children with intoeing gait who fall easily



Formerly published as TÜRKİYE EİZİKSEL TIP VE REHARİLİTASYON DERGİSİ

#### **Instructions for Authors**

The Turkish Journal of Physical Medicine and Rehabilitation, formerly published as Türkiye Fiziksel Tıp ve Rehabilitasyon Dergisi, is the official publication of the Turkish Society of Physical Medicine and Rehabilitation which covers specific subjects on physical medicine and rehabilitation. The journal is an international open-access, double-blind peer-reviewed periodical journal bringing the latest developments in physical medicine and rehabilitation. The journal publishes original articles, review articles, editorials, case reports (limited), letters to the editors. The language of the journal is English and it is published quarterly (in March, June, September, and December).

Manuscripts can only be submitted through the online manuscript submission and evaluation system of the journal, available at http://www.turkishjournalpmr.com or http://www.ftrdergisi.com. Manuscripts submitted via any other medium will not be evaluated.

The editorial and publication processes of the journal are conducted in accordance with the guidelines of the International Council of Medical Journal Editors (ICMJE), the World Association of Medical Editors (WAME), the Council of Science Editors (CSE), the Committee on Publication Ethics (COPE), the European Association of Science Editors (EASE), and National Information Standards Organization (NISO). The journal conforms to the Principles of Transparency and Best Practice in Scholarly Publishing (doaj.org/bestpractice).

An ORCID ID is required for all authors during the submission of the manuscript. The ID is available at http://orcid.org with free of charge.

Manuscripts submitted for the evaluation should not be previously presented or published elsewhere in any medium (paper or electronic). Editorial board should be informed of manuscripts which have been already submitted to another journal for the evaluation and rejected for publication. Manuscripts which have been presented in a meeting should be submitted with detailed information on the name, date, and venue of the organization. The originality of the content, high scientific merit and citation potential are the prime considerations of the editors.

Statements or opinions expressed in the published content only reflect the views of the author(s), but not the opinions of the editors. The Turkish Society of Physical Medicine and Rehabilitation, the Editorial Board, and the publisher disclaim any scientific, ethical or legal responsibility or liability for such materials. The author is solely responsible for the manuscript, Tables, Figures, and etc. which may elicit financial and legal responsibilities.

Upon the submission of the manuscript with the signed Copyright Transfer Agreement Form, the authors transfer all copyrights of their manuscripts within the scope of local and international laws to the journal. For this purpose, a copyright transfer form must be signed by all contributing authors and the original signed form must be posted to the Editorial office.

The Authorship Contribution Form must be filled by the corresponding author and a signed and scanned version must be submitted during the submission process to act appropriately to the authorship rights and prevent ghost or honorary authorship. The Authorship Contribution Form and the Printing Approval Form which are both released by the publisher must be submitted.

#### Conflict of Interest Statement

Any financial grants or other support received for the study from individuals or institutions must be disclosed to the Editorial Board and the International Committee of Medical Journal Editors (ICMJE) Potential Conflict of Interest Disclosure Form must be filled and submitted to disclose potential conflicts of interest

The manuscripts must be prepared in accordance with ICMJE Recommendations for the Conduct, Reporting, Editing and Publication of Scholarly Work in Medical Journals (updated in December 2014 - http://www.icmje.org/icmjerecommendations.pdf). Authors are required to prepare manuscripts in accordance with the CONSORT guidelines for randomized research studies, the STROBE guidelines for the observational original research studies, the STARD guidelines for the diagnostic accuracy studies, the PRISMA guidelines for systematic reviews and meta-analyses, the ARRIVE guidelines for the experimental animal studies, and the TREND guidelines for non-randomized public behaviors.

#### **Ethical Considerations**

An approval of research protocols by the Ethics Committee in accordance with international agreements (Helsinki Declaration, revised 2013, Guide for the Care and Use of Laboratory Animals - https://www.nap.edu/catalog/5140.html/) is required for experimental, clinical, and investigational drug studies, and some case reports. If required, the ethics committee reports or a corresponding official document may be requested from the authors. In manuscripts reporting the results of an experimental study, it must be stated within the main text that all patients were informed in detail on the treatments and that an informed consent was obtained from each patient. For studies carried out on animals, the measures taken to prevent pain and suffering of the animals must be explicitly stated. Information on the patient consent, name of the ethics committee, and the ethics committee approval number must also be stated in the Patients and Methods section of the manuscript. It is the author's responsibility to carefully protect the patients' anonymity. For photographs that may reveal the identity of the patient, signed releases of the patient or of his/her legal representative must be enclosed.

#### Plagiarisn

Whether intentional or not, plagiarism is a serious violation. We define plagiarism as a case in which a paper reproduces another work with similarity and without citation. If evidence of plagiarism is found before/after acceptance or after publication of the paper, the author will be offered a chance for rebuttal. If the arguments are not found to be satisfactory, the manuscript will be retracted and the author sanctioned from publishing papers for a period to be determined by the responsible Editor(s). The journal uses URKUND plagiarism screening tool to screen all submissions and to verify the originality of content before publication.

#### Review Process

Pre-evaluation process of each submission is carried out by the Editorial Board. Manuscripts are scanned for plagiarism or duplication. In case of an ethical issue on plagiarism or duplication, the Editorial Board will act in accordance with the Committee on Publication Ethics (COPE). The manuscripts which pass this stage are assigned to at least two double-blind peer-reviewers with a statistics reviewer. Reviewers are selected among independent experts who has published publications in the international literature on the submission subject and received considerable amount of citations. Research articles, systematic reviews, and meta-analyses are also reviewed by a biostatistician. By submitting a manuscript to the journal, authors accept that editor may implement changes on their manuscripts including misleading statements and mistypings, as long as the main idea of the manuscript is not interfered.

Manuscripts submitted to The Turkish Journal of Physical Medicine and Rehabilitation will go through a double-blind peer-review process. Each submission will be reviewed by at least two external, independent peer reviewers who are experts in their fields to ensure an unbiased evaluation process. The editorial board will invite an external and independent editor to manage the evaluation processes of manuscripts submitted by editors or by the editorial board members of the journal. The Editor-in-Chief is the final authority in the decision-making process for all submissions.

Once a manuscript is accepted for publication, the author list of the manuscript cannot be amended.

All manuscripts must be prepared using the Microsoft Office Word toolbox and must be structured in accordance with the principles mentioned below.

#### MANUSCRIPT TYPES

Original Article: The abstract should be structured with Objective, Patients and Methods (for human studies)/Materials and Methods (for experimental studies), Results, and Conclusion subheadings and should not be longer than 250 words. Keywords should be concordant with the National Library of Medicine (NLM) Medical Subject Headings (MeSH) vocabulary terms and three to six keywords should be listed. The main text should be structured with Introduction, Patients and Methods (for human studies)/Materials and Methods (for experimental studies), Results (with maximum three subheadings), and Discussion sections and should be limited to 3000 words. The reference list and tables should be located at the end of the main document. All images should be submitted in .JPG and .TIFF formats in 300 Dpi resolutions. Number of cited references should be limited with 40. Tables and illustrations are limited with six.



Formerly published as TÜRKİYE FİZİKSEL TIP VE REHABİLİTASYON DERGİSİ

Statistical analysis must be performed in accordance with the guidelines on reporting statistics in medical journals (Altman DG, Gore SM, Gardner MJ, Pocock SJ. Statistical Guidelines for Contributors To Medical Journals. Br Med J 1983;7:1489-93). The software used for the analysis should be explicitly stated. For parametric tests, continuous variables are expressed in mean  $\pm$  standard deviation, while for non-parametric tests, data are expressed in median and range (min-max) or median and interquartile range (25th and 75th percentiles). When complex analyses are used, the relative risk (RR), odds ratio (OR) and hazard ratio (HR) values are supported by providing confidence intervals (CI) and p values. Units should be prepared in accordance with the International System of Units (SI).

**Editorial:** These are short manuscripts which are prepared by the experts to comment on an article which is published in the current or previous issues of the journal. This type of manuscript is solicited. An Abstract, Keywords, Tables or Figures are not required for the Editorial Comments. The main text should not be structured with subheadings and should not be longer than 1500 words. Number of references should be limited to 15. Only one table or illustration is allowed.

**Review:** Reviews including systematic reviews and meta-analyses which are prepared by authors who have an extensive knowledge on a specific field and whose scientific background has been translated into a high volume of publication with a high citation potential are taken under review. The authors will be invited by the journal. Reviews should be describing, discussing and evaluating the current level of knowledge or topic used in the clinical practice and should guide further studies. The manuscript contains an unstructured abstract not exceeding 150 words.

The manuscript should include three to six keywords which conform to the MeSH terms prepared by the NLM. The main text should contain Introduction, Clinical and Research Consequences, and Conclusion sections. The main text should not exceed 4000 words and the references should be limited to 75. Tables and illustrations are limited with eight.

The originality of the visual media contained in the reviews should be confirmed by submitting a letter to the journal. The original versions of the printed or electronic copies of the images adapted from a published source should be explicitly cited and the written permission obtained from the copyright holder (publisher, journal or authors) should be forwarded to the journal.

Case Report: There is a limited space for case reports in the journal and only reports on rare cases or conditions which constitute challenges in the diagnosis and treatment, those offering novel therapeutic approaches or recent knowledge not included in the textbooks, and interesting and educative case reports are accepted for publication. The abstract should be unstructured and should not exceed 80 to 100 words. The manuscript should include three to six keywords which conform to the MeSH terms prepared by the NLM. The main text should include Introduction, Case Report, Discussion, and Conclusion sections. Figures and images should be submitted separately in JPEG of TIFF formats in 300 Dpi resolutions. The main text should be limited to 1500 words. References should be limited to 20. Each case report should include an informed consent from each patient which is explicitly stated in the Case Report section. Tables and illustrations are limited with three in black and white format. Colored illustrations will be paid, if requested.

Letter to the Editor: Includes manuscripts discussing important parts, overlooked aspects, or lacking parts of a previously published article. Papers on the subjects within the scope of the journal which may likely to attract the readers' attention, in particular, educative cases are also allowed to be submitted in the form of Letter to the Editor. Readers are also allowed to present their comments on the published manuscripts in the form of Letter to the Editor. Abstract, Keywords, Tables, Figures, Images, and other media are not included. The text should be unstructured and should not exceed 500 words with one to five references. Volume, year, issue, page numbers, and title of the manuscript being commented on, as well as the name of the authors should be explicitly specified, should be listed in the references, and cited within the text. Only one table or illustration is allowed.

#### **Tables and Figures**

Submitted manuscript files should be blind to ensure a double-blind review process. Information which may indicate an individual or institution should be excluded from the manuscript files.

All Tables, Figures, Graphs, and other visual media should be numbered in the order of citation within the text and must not disclose the names of the patients, doctors or institutions. Tables should be prepared using the Microsoft Office Word toolbox with Insert Table command and be placed at the end of the References

section of the main text. Tables should not be submitted in JPEG, TIFF or other visual formats. In microscopic images, magnification and staining techniques should be specified in addition to the figure captions. All images should be in high-resolution with minimum 300 Dpi resolutions in white and black format. Otherwise, it will be paid. Lines in the graphs should be in separate columns. Therefore, loss of details would be minimal, if reduction is needed during press. The width should be 9 cm or 18 cm. Preferably, the drawings should be prepared by the professionals. Gray color should be avoided. Abbreviations used in tables should be defined in alphabetical order at the bottom of the tables. Roman numerals should be avoided while numbering the Tables and Figures, or while citing the tables in the text. Decimal points in the text, tables and figures, should be separated by dots (p=0.05) and comma (1,000) for at least four digit numbers. Particularly, tables should be explanatory for the text and should not duplicate the data given in the text.

When a drug, product, hardware, or software program is mentioned within the main text, product information, including the name of the product, the producer of the product, and city and the country of the company (including the state if in USA), should be provided in parentheses in the following format: Discovery St PET/CT scanner (General Electric, Milwaukee, WI, USA).

#### References

References should be numbered in the order they are cited. Only published data or manuscripts accepted for publication and recent data should be included. Inaccessible data sources and those not indexed in any database should be omitted. Titles of journals should be abbreviated in accordance with Index Medicus-NLM Style (Patrias K. Citing medicine: the NLM style guide for authors, editors, and publishers [Internet]. 2nd ed. Wendling DL, technical editor. Bethesda (MD): National Library of Medicine (US); 2007 - [updated 2011 Sep 15; cited Year Month Day] (http://www.nlm.nih.gov/citingmedicine). All authors should be listed if an article has six or less authors; if an article has more than six authors, first six authors are listed and the rest is represented by "et al.". Reference format and punctuation should be as in the following examples:

- If the surname of the first author of the referenced article is given, "et al." should be added after it, followed by its reference number within square brackets "[1]"
- Give references in the text using Arabic numerals in brackets "[1]" (superscript preferred).
- If more than one references are required in the main manuscript, references should be stated in a superscript square bracket with a comma at the end of the punctuation mark of the related sentence. [1,2,5]
- If there are more than two consecutive references, the first and the last ones should be given with "-" mark between them: e.g. [1-3]; [8-14]; [14-18].

Abbreviations of journals should conform to those used in Index Medicus. Authors are solely responsible for the accuracy and completeness of references.

Journal: Ehde DM, Czerniecki JM, Smith DG, Campbell KM, Edwards WT, Jensen MP, et al. Chronic phantom sensations, phantom pain, residual limb pain, and other regional pain after lower limb amputation. Arch Phys Med Rehabil 2000;81:1039-44.

Book Section: Eftekhari N. Amputation rehabilitation: In: O'Young B, Young MA, Stiens SA, editors. PMR Secrets. Philadelphia: Hanley&Belfus Inc.; 1999. p. 214-22.

 ${\it Books\,with\,Single\,Author:}~ {\rm Mulligan\,BR.\,Manual\,Therapy:\,Nags,\,Snags,\,MWMs,}\\ {\rm etc.\,6th\,ed.\,Wellington:\,Bateson\,Publishing\,Ltd;\,2010.}$ 

*Editor(s) as author(s):* O'Sullivan SB, Schmitz TJ, editors. Improving functional outcomes in physical rehabilitation. 1st ed. Pennsylvania: F.A. Davis Company; 2010

Conference Proceedings: Bengisson S. Sothemin BG. Enforcement of data protection, privacy and security in medical informatics. In: Lun KC, Degoulet P, Piemme TE, Rienhoff O, editors. MEDINFO 92. Proceedings of the 7th World Congress on Medical Informatics; 1992 Sept 6-10; Geneva, Switzerland. Amsterdam: North-Holland; 1992. p. 1561-5.

Scientific or Technical Report: Smith P. Golladay K. Payment for durable medical equipment billed during skilled nursing facility stays. Final report. Dallas (TX) Dept. of Health and Human Services (US). Office of Evaluation and Inspections: 1994 Oct. Report No: HHSIGOE 169200860.



Formerly published as TÜRKİYE FİZİKSEL TIP VE REHABİLİTASYON DERGİSİ

Thesis: Kaplan SI. Post-hospital home health care: the elderly access and utilization (dissertation). St. Louis (MO): Washington Univ.; 1995.

*Epub Ahead of Print Articles:* Baki ME, Aldemir C, Duygun F, Doğan A, Kerimoğlu G. Comparison of non-compression and compression interlocking intramedullary nailing in rabbit femoral shaft osteotomy model. Eklem Hastalik Cerrahisi 2017;28:7-12.

Manuscripts published in electronic format: Teasell R, Bhogal SK, Foley N. Painful hemiplegic shoulder. Evidence-Based Review of stroke rehabilitation. 2006. Available from: http://www.scribd.com/doc/6281057/ Evidence-Based-Review-of-Stroke-Rehab.

#### REVISIONS

When submitting a revised version of a paper, the author must submit a detailed "Response to the reviewers" that states point by point how each issue raised by the reviewers has been covered and where it can be found (each reviewer's comment, followed by the author's reply and line numbers where the changes have been made) as well as an annotated copy of the main document. Revised manuscripts must be submitted within 30 days from the date of the decision letter. If the revised version of the manuscript is not submitted within the allocated time, the revision option may be canceled. If the submitting author(s) believe that additional time is required, they should request this extension before the initial 30-day period is over.

Accepted manuscripts are copy-edited for grammar, punctuation, and format. Once the publication process of a manuscript is completed, it is published online on the journal's webpage as an ahead-of-print publication before it is included in its scheduled issue. A PDF proof of the accepted manuscript is sent to the corresponding author and their publication approval is requested within 2 days of their receipt of the proof.

The latest status of the submitted manuscripts and other information about the journal can be accessed at http://www.turkishjournalpmr.com. Furthermore, contact details of the Editorial Office and Publisher are provided below for correspondence with the journal in every respect.

Editors: Prof. Birkan Sonel Tur, MD., Prof. Deniz Evcik, MD.

Corresponding: Türkiye Fiziksel Tıp ve Rehabilitasyon Derneği Büyükdere Cad. Arzu Apt. No: 99, Kat: 4, D: 8-9, 34394 Mecidiyeköy, İstanbul, Turkey.

Tel: +90 212 - 236 90 52 Fax: +90 212 - 236 90 54

E-mail : info@turkishjournalpmr.com

info@ftrdergisi.com

Web page: http://www.turkishjournalpmr.com

http://www.ftrdergisi.com